


STANDARD CARTRIDGE HEATERS / METRIC

(Made in Japan)

Standard Cartridge Heaters features moisture-resistant and instant start-up.
All heater have 1,000mm(40 inch)lead wires.



DIMS(mm)		WATTAGE 220V		WATTAGE 200V		CATALOG NUMBER		
ϕ	L	W	W/c m ²	W	W/c m ²			
6.5	50	120	14.7	100	12.3	JTDH	6.5 x	50
	80	180	12.6	150	10.5	JTDH	6.5 x	80
	100	240	13.1	200	10.9	JTDH	6.5 x	100
	130	300	12.3	250	10.2	JTDH	6.5 x	130
	150	360	12.6	300	10.5	JTDH	6.5 x	150
	200	480	12.4	400	10.5	JTDH	6.5 x	200
	250	610	12.5	500	10.3	JTDH	6.5 x	250
	300	670	11.4	550	9.3	JTDH	6.5 x	300
8	50	150	14.5	130	13.0	JTDH	8 x	50
	80	240	13.7	200	11.4	JTDH	8 x	80
	100	300	13.3	250	11.1	JTDH	8 x	100
	130	360	12.0	300	10.0	JTDH	8 x	130
	150	420	12.0	350	10.0	JTDH	8 x	150
	180	480	11.3	400	9.4	JTDH	8 x	180
	200	540	11.4	450	9.5	JTDH	8 x	200
	230	610	11.1	500	9.1	JTDH	8 x	230
	250	670	11.2	550	9.2	JTDH	8 x	250
	300	790	10.9	650	9.0	JTDH	8 x	300
	350	880	10.4	730	8.6	JTDH	8 x	350
	400	910	9.3	750	7.7	JTDH	8 x	400
10	100	360	12.8	300	10.7	JTDH	10 x	100
	130	420	11.2	350	9.3	JTDH	10 x	130
	150	540	12.3	450	10.3	JTDH	10 x	150
	180	610	11.5	500	9.4	JTDH	10 x	180
	200	670	11.3	550	9.3	JTDH	10 x	200
	230	730	10.6	600	8.7	JTDH	10 x	230
	250	790	10.5	650	8.7	JTDH	10 x	250
	300	910	10.0	750	8.3	JTDH	10 x	300
	350	990	9.3	820	7.7	JTDH	10 x	350
	400	1010	8.3	840	6.9	JTDH	10 x	400
	500	1100	7.2	900	5.9	JTDH	10 x	500
12	100	420	12.4	350	10.4	JTDH	12 x	100
	130	480	10.7	400	8.9	JTDH	12 x	130
	150	540	10.3	450	8.6	JTDH	12 x	150
	180	670	10.5	550	8.6	JTDH	12 x	180
	200	730	10.2	600	8.4	JTDH	12 x	200
	230	790	9.6	650	7.9	JTDH	12 x	230
	250	850	9.4	700	7.8	JTDH	12 x	250
	300	970	8.9	800	7.4	JTDH	12 x	300
	350	1080	8.5	900	7.1	JTDH	12 x	350
	400	1130	7.7	950	6.5	JTDH	12 x	400
	450	1190	7.2	990	6.0	JTDH	12 x	450
500	1130	6.2	940	5.1	JTDH	12 x	500	
14	100	480	12.2	400	10.2	JTDH	14 x	100
	130	540	10.3	450	8.6	JTDH	14 x	130
	150	720	11.7	600	9.8	JTDH	14 x	150
	180	790	10.6	650	8.7	JTDH	14 x	180
	200	840	10.1	700	8.4	JTDH	14 x	200
	230	910	9.4	750	7.8	JTDH	14 x	230
	250	960	9.1	800	7.6	JTDH	14 x	250
	300	1080	8.5	900	7.1	JTDH	14 x	300
	350	1310	8.8	1100	7.4	JTDH	14 x	350
	400	1410	8.3	1170	6.9	JTDH	14 x	400
	450	1390	7.2	1150	6.0	JTDH	14 x	450
	500	1320	6.2	1100	5.2	JTDH	14 x	500

DIMS(mm)		WATTAGE 220V		WATTAGE 200V		CATALOG NUMBER		
ϕ	L	W	W/c m ²	W	W/c m ²			
15	100	480	12.8	400	10.7	JTDH	15	x 100
	130	540	10.5	450	8.7	JTDH	15	x 130
	150	730	12.0	600	9.8	JTDH	15	x 150
	180	790	10.5	650	8.7	JTDH	15	x 180
	200	850	10.0	700	8.3	JTDH	15	x 200
	230	910	9.2	750	7.6	JTDH	15	x 230
	250	970	9.0	800	7.4	JTDH	15	x 250
	300	1100	8.4	900	6.9	JTDH	15	x 300
	350	1320	8.5	1100	7.0	JTDH	15	x 350
	400	1420	8.0	1200	6.8	JTDH	15	x 400
	450	1490	7.4	1250	6.2	JTDH	15	x 450
	500	1420	6.3	1180	5.3	JTDH	15	x 500
600	1420	5.2	1180	4.5	JTDH	15	x 600	
16	100	540	13.5	450	11.2	JTDH	16	x 100
	130	610	11.0	500	9.1	JTDH	16	x 130
	150	730	11.2	600	9.2	JTDH	16	x 150
	180	850	10.6	700	8.7	JTDH	16	x 180
	200	910	10.1	750	8.3	JTDH	16	x 200
	230	970	9.2	800	7.6	JTDH	16	x 230
	250	1100	9.6	900	7.8	JTDH	16	x 250
	300	1210	8.6	1000	7.1	JTDH	16	x 300
	400	1610	8.5	1350	7.1	JTDH	16	x 400
	500	1760	7.3	1500	6.3	JTDH	16	x 500
	600	1960	6.8	1650	5.7	JTDH	16	x 600
	700	2110	6.2	1750	5.2	JTDH	16	x 700
800	2210	5.7	1850	4.8	JTDH	16	x 800	
900	2260	5.2	1900	4.3	JTDH	16	x 900	

